



Complementos

U 482
0, 115 Kg/m




Complementos para Janelas e Portas de Correr


A 213
0, 274 Kg/m




E 150
0, 274 Kg/m



L 517
0, 328 Kg/m




U 685
0, 168 Kg/m



Janelas de Correr


A 030

0,564 Kg/m




P 075

0,607 Kg/m




P 084

0,528 Kg/m




P 148

0,667 Kg/m




P 149

0,621 Kg/m




Y 131

0,488 Kg/m



Y 153


0,500 Kg/m



Janelas e Portas de Correr


E 491

1, 030 Kg/m




E 492

1, 434 Kg/m



P 257


1, 566 Kg/m



Janelas e Portas de Correr


P 258

1, 073 Kg/m




P 287

1, 564 Kg/m



Z 180


0, 759 Kg/m



Janelas e Portas de Correr


Z 181

0,564 Kg/m




Z 182

0,626 Kg/m





Z 183

0,989 Kg/m




Janelas e Portas de Correr



Janelas Maxim-ar


L 332

0, 210 Kg/m




P 120

0, 535 Kg/m




P 419

0, 726 Kg/m




Y 140

0, 406 Kg/m



P 064

0, 400 Kg/m




P 121

0, 535 Kg/m




Y 113



0, 314 Kg/m



Portas de Abrir




Portas de Correr e Abrir



Portas de Correr e Abrir


P 264

1, 125 Kg/m



P 358


0, 927 Kg/m



Portas de Correr


P 068

0, 694 Kg/m







P 078

0, 772 Kg/m




Portas de Correr



Portas de Correr


P 281

0, 810 Kg/m




P 282

0, 810 Kg/m




Y 110

0, 653 Kg/m




P 269

0, 880 Kg/m



P 270

0, 780 Kg/m



P 273

0, 618 Kg/m

